

PENDANT


JISO ILUMINACIÓN



INDOOR


PENDANT

DUPPI
CONNI
400









DUPPI P10




7IL401 10 - 21 M 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IL401	10	21 ON/OFF	M 38°	3 3000K 735 lm system 1353 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	50.000H L70B10	135 lm/W	UGR <19	1/4
------------	------------	-----	----------------	-------------------	----------	------------	-----



DUPPI P10
+ HC7IL401



Accesories

HC7IL401	-	01 90				31 75
----------	---	-------	---	---	---	----------

Degree		HC7ILENS50-A 15° HC7ILENS50-I 24° HC7ILENS50-E 60°
--------	---	--

TOP		CLASE II		ALUM		AC 220/240V	50/60Hz	PF >0,9		INCL	650°	IP 20	5 years Warranty
-----	---	----------	---	------	---	-------------	---------	---------	---	------	------	-------	------------------

The above information is basic. For updated and more accurate information, please consult the Technical Data Sheet at www.jisoiluminacion.com or through the QR code



CONNI P04




71L402 04 - 21 N 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
71L402	4	21 ON/OFF	N 45°	3 3000K 399 lm system 450 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	50.000H L70B10	125 lm/W	UGR <19	1/4
------------	------------	-----	----------------	-------------------	----------	------------	-----



CONNI P04
+HC71L401



Accesories

HC71L401 - 01 90    31
Ø 62 75

TOP		CLASE II		ALUM	PC	AC 220/240V	50/60Hz	PF >0,9	INCL	650°	IP 20	5 years Warranty
-----	---	----------	---	------	----	----------------	---------	------------	------	------	----------	---------------------

The above information is basic. For updated and more accurate information, please consult the Technical Data Sheet at www.jisoiluminacion.com or through the QR code


40040



400 40 - 29 8 0 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Chip	5 - Kelvin	6 - Color
400	40	29 ON/OFF	8 Hongli	0 CCT Switch 3000K 2578 lm system 4320 lm source 4000K 2706 lm system 4320 lm source 6000K 2691 lm system 4320 lm source	01 90

LED SMD	CRI >80	RG1	MAC Adam <5	50.000H L70B10	120 lm/W	100°	1/6
------------	------------	-----	----------------	-------------------	----------	------	-----



Law Office, Spain, JISO



JISO ILUMINACIÓN