

TUBULE

JISO ILUMINACIÓN



INDOOR

TUBULE

SLATE

SLATE RD

SLATE RS

SLATE RTS

59308

TURTLE PC

TURTLE P

SPIDER P









Ritual Terra Natura Hotel, Spain. JISO


SLATE 05



7IE501 05 - 21 M 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE501	05	21 ON/OFF 32 0-10V (PF> 0,7) 52 Trailing Edge (4,2W) D2 DALI/PUSH (4,2W)	M 38°	3 3000K 335 lm system 599 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	118 lm/W	UGR <17	1/60
------------	------------	-----	----------------	-------------------	----------	------------	------




SLATE 10



7IE501 10 - 21 1 3 - 01
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE501	10	21 ON/OFF 32 0-10V (PF>0,85, 9W) 52 Trailing Edge D2 DALI/PUSH	1 Zoom (15°-38°)	3 3000K 594-693 lm system 1197 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	123 lm/W	UGR <17	1/25
------------	------------	-----	----------------	-------------------	----------	------------	------



Accesories not incl.

SMART CONTROL (page 534)



Muito Showroom, Spain. JISO


SLATE RD07



7IE502 07 - 21 1 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE502	07	21 ON/OFF 32 0-10V (PF> 0,7) 51 Trailing Edge D2 DALI/PUSH	1 Zoom (15°-38°)	3 3000K 416-485 lm system 888 lm source 4 4000K 427-497 lm system 888 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	112 lm/W 4000K	UGR <17	1/30
------------	------------	-----	----------------	-------------------	-------------------	------------	------



Accessories not incl.


Emergency kit (page 523)

2DCLED- K1 (1 hour)
K2 (3 hours)
K29 (3 hours)

SMART CONTROL (page 534)

TOP						AC 220/240V	50/60Hz	PF >0,9				650°	CB	IP 20	5 years Warranty
-----	--	--	--	--	--	----------------	---------	------------	--	--	--	------	----	----------	---------------------

The above information is basic. For updated and more accurate information, please consult the Technical Data Sheet at www.jisoiluminacion.com or through the QR code



Hotel, UAE. JISO

INDOOR | TUBULE
SLATE


SLATE RS07



7IE503 07 - 21 1 3 - 01
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE503	07	21 ON/OFF 32 0-10V (PF> 0,7) 51 Trailing Edge D2 DALI/PUSH	1 Zoom (15°-38°)	3 3000K 416-485 lm system 838 lm source 4 4000K 427-497 lm system 838 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	112 lm/W 4000K	UGR <17	1/30
------------	------------	-----	----------------	-------------------	-------------------	------------	------




SLATE RS14



7IE504 14 - 21 1 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE504	14	21 ON/OFF 32 0-10V (PF> 0,7) 51 Trailing Edge D2 DALI/PUSH	1 Zoom (15°-38°)	3 3000K 832-970 lm system 1676 lm source 4 4000K 853-994 lm system 1777 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	112 lm/W 4000K	UGR <17	1/12
------------	------------	-----	----------------	-------------------	-------------------	------------	------



Accessories not incl.

Emergency kit (page 523)	2DCLED- K1 (1 hour) K2 (3 hours) K29 (3 hours)
--------------------------	--

SMART CONTROL (page 534)

TOP	INCL.	CLASE II	ALUM	PC	AC 220/240V	50/60Hz	PF >0,9	45°	180°	650°	CB	IP 20	5 years Warranty
-----	-------	----------	------	----	-------------	---------	---------	-----	------	------	----	-------	------------------

The above information is basic. For updated and more accurate information, please consult the Technical Data Sheet at www.jisoiluminacion.com or through the QR code

JISO


SLATE RTS07



7IE603 07 - 21 M 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE603	07	21 ON/OFF 32 0-10V (PF> 0,7) 51 Trailing Edge D2 DALI/PUSH	1 Zoom (15°-38°)	3 3000K 416-485 lm system 838 lm source 4 4000K 427-497 lm system 888 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	112 lm/W 4000K	UGR <17	1/30
------------	------------	-----	----------------	-------------------	-------------------	------------	------




SLATE RTS14



7IE604 14 - 21 M 3 - 90
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE604	14	21 ON/OFF 32 0-10V (PF> 0,7) 51 Trailing Edge D2 DALI/PUSH	1 Zoom (15°-38°)	3 3000K 832-970 lm system 1676 lm source 4 4000K 853-994 lm system 1777 lm source	01 90

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	112 lm/W 4000K	UGR <17	1/12
------------	------------	-----	----------------	-------------------	-------------------	------------	------



Accesories not incl.

Emergency kit (page 523) 2DCLED- K1 (1hour)
K2 (3 hours)
K29 (3 hours)

SMART CONTROL (page 534)






59308



593 08 - 21 5 3 - 9001
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Chip	5 - Kelvin	6 - Color
593	08	21 ON/OFF 32 0-10V 51 Trailing Edge D2 DALI/PUSH	5 Edison	2 2700K 902 lm system 1048 lm source 3 3000K 942 lm system 1080 lm source	01 01 90 01

LED COB	CRI >80	RG1	MAC Adam <3	50.000H L70B10	112 lm/W 4000K	38°	1/30
------------	------------	-----	----------------	-------------------	-------------------	-----	------



Accessories not incl.

Emergency kit (page 523)	2DCLED- K1 (1 hour) K2 (3 hours) K29 (3 hours)
--------------------------	--

SMART CONTROL (page 534)




TURTLE PC07



71E407 07 - 21 M 3 - 03
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
71E407	07	21 ON/OFF	M 38	3 3000K 316 lm system 838 lm source	01 03 90

LED	CRI	RG1	MAC	35.000H	106 lm/W	UGR	
COB	>90		Adam <3	L70B10	4000K	<15	1/20



Accesories not incl.

Plate	Cone	Bowl	Tube
HC71E40701-01	HC71E40702-01 HC71E40702-03	HC71E40703-01	HC71E40704-01 HC71E40704-03 HC71E40704-90
			
Size: Ø281x23	Size: Ø130x180	Size: Ø281x56	Size: Ø62x56
			




TURTLE P25



7IE401 25 - 21 M 3 - 03
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE401	25	21 ON/OFF	M 38°	3 3000K 1364 lm system 2993 lm source	03

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	118 lm/W	UGR <17	1
------------	------------	-----	----------------	-------------------	----------	------------	---




SPIDER P07



7IE202 07 - 21 M 3 - 03
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE202	07	21 ON/OFF	M 38°	3 3000K 352 lm system 838 lm source	03

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	106 lm/W	UGR <15	1
------------	------------	-----	----------------	-------------------	----------	------------	---



Accessories not incl.

Hanging kit (2units) HC7IE202SP-01





SPIDER P25



7IE202 25 - 21 M 3 - 03
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE202	25	21 ON/OFF	M 38°	3 3000K 1958 lm system 2993 lm source	03

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	118 lm/W	UGR <15	1
------------	------------	-----	----------------	-------------------	----------	------------	---





SPIDER P35



7IE202 35 - 21 M 3 - 03
1 2 3 4 5 6

1 - Model	2 - Power (W)	3 - Driver	4 - Degree	5 - Kelvin	6 - Color
7IE202	35	21 ON/OFF	M 38°	3 3000K 2909 lm system 4190 lm source	03

LED COB	CRI >90	RG1	MAC Adam <3	35.000H L70B10	127 lm/W	UGR <15	1
------------	------------	-----	----------------	-------------------	----------	------------	---



Accessories not incl.

Hanging kit (2units) HC7IE202SP-01





JISO ILUMINACIÓN